

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6182212".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:17
S2	15010	713/1-2,100,187,189,193-194.ccls. or 380/2,28-30.ccls. or 707/200-203.ccls. or 726/22-24,1-2. ccls. or 717/168-170.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:47
S3	10022	S2 and @ad<"20011130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:19
S4	22440	(boot\$3 with (os or "operating system" or program or partition))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:33
S5	6	S4 and (hash\$3 with ((boot\$3 adj record) or \$1br))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:25
S6	2	S5 and @ad<"20011130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:26
S7	30	S4 and ((hash\$3 or checksum or md\$1) with ((boot\$3 adj record) or \$1br))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:25
S8	2190	714/1-2,8,30,48.ccls. and @ad<"20011130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:25

S9	12099	S3 or S8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:25
S10	23	S7 and @ad<"20011130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:34
S11	23675	((boot\$3 or bootstrap\$4) with (os or "operating system" or program or partition))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:34
S12	12519	S11 and @ad<"20011130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:46
S13	242	S12 and ((hardware or bios) with lock\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:35
S14	60	S13 and S9	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:36
S15	0	S14 and (load\$3 with (\$1BR or "boot record") with (POST or "power on self test" or "power-on-self-test"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:35
S16	1345	S12 and ((mov\$3 or replac\$3) with (boot\$3 or version or entry))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:46

S17	308	S16 and S9	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:47
S18	137	S9 and ((corrupt\$3 or damag\$3) with (boot\$3 or \$1br))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:47
S19	57	S18 and (hash\$3 or checksum\$3 or signature)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:48
S20	580	711/173.ccls. and @ad<"20010529"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 11:05
S21	49	S20 and (hash\$3 or checksum\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 11:05
S22	1100	711/163,165.ccls. and @ad<"20010529"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 11:05
S23	95	S22 and (checksum\$3 or hash\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 11:05
S24	138	S21 or S23	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 11:05

S25	6	S24 and (BR or "boot record")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 11:08
S26	49	(hash\$3 or checksum\$3) with (BR or "boot record")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 11:08
S27	0	S26 and @ad="20010529"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 11:09